A Reliable Research Partner in Life Science and Medicine

# Recombinant Human VWC2/Brorin Protein (His Tag)

Catalog No. PKSH030918

Note: Centrifuge before opening to ensure complete recovery of vial contents.

### **Description**

**Synonyms** PSST739;UNQ739

**Species** Human

HEK293 Cells **Expression Host** Met 1-Met 325 Sequence Accession NP\_940972.2 Calculated Molecular Weight 34.1 kDa Observed molecular weight 45 kDa Tag C-His

**Bioactivity** Not validated for activity

### **Properties**

**Purity** > 95 % as determined by reducing SDS-PAGE.

**Endotoxin** < 1.0 EU per µg of the protein as determined by the LAL method.

**Storage** Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to

-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots

of reconstituted samples are stable at < -20°C for 3 months.

Shipping This product is provided as lyophilized powder which is shipped with ice packs.

Formulation Lyophilized from sterile PBS, pH 7.4


Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as

protectants before lyophilization.

Please refer to the specific buffer information in the printed manual.

Reconstitution Please refer to the printed manual for detailed information.

#### Data



> 95 % as determined by reducing SDS-PAGE.

## **Background**

Brorin; also known as brain-specific chordin-like protein; von Willebrand factor C domain-containing protein 2 and VWC2; is a secreted protein which contains twoVWFC domains. VWC2 / Brorin is a BMP antagonist which may play a

### For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Email: techsupport@elabscience.com

Web: www.elabscience.com





A Reliable Research Partner in Life Science and Medicine

role in neural development. It promotes cell adhesion. VWC2 / Brorin is a unique member of the chordin family. It inhibited the activity of bone morphogenetic protein 2 (BMP2) and BMP6 in mouse preosteoblastic MC3T3-E1 cells. Mouse Brorin was predominantly expressed in neural tissues in embryos and also predominantly expressed in the adult brain. In the brain; the expression was detected in neurons; but not glial cells. The neural tissue-specific expression profile of Brorin is quite distinct from that of any other member of the Chordin family. VWC2 / Brorin protein promoted neurogenesis; but not astrogenesis; in mouse neural precursor cells. VWC2 / Brorin is a novel secreted BMP antagonist that potentially plays roles in neural development and functions.

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Email: techsupport@elabscience.com

Web: www.elabscience.com