

Recombinant Human FANCA/FACA Protein (His Tag)

Catalog No. PKSH030946

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

Synonyms	FA;FA-H;FA1;FAA;FACA;FAH;FANCH
Species	Human
Expression Host	Baculovirus-Insect Cells
Sequence	Met 1-Cys 297
Accession	AAH08979.1
Calculated Molecular Weight	35.2 kDa
Observed molecular weight	35 kDa
Tag	N-His
Bioactivity	Not validated for activity

Properties

Purity	> 85 % as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from sterile 20mM Tris, 200mM NaCl, pH 8.5, 20% glycerol, 0.1% Triton, 1mM TCEP Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
Reconstitution	Please refer to the printed manual for detailed information.

Data



> 85 % as determined by reducing SDS-PAGE.

Background

FANCA is one of the six known Fanconi anemia gene products (FANCA, FANCC, FANCD2, FANCE, FANCF, and

For Research Use Only

FANCG proteins). Fanconi anemia (FA) is a genetic disorder predisposing to aplastic anemia and cancer characterized by hypersensitivity to DNA-damaging agents and oxidative stress. FANCA associates with the I κ B kinase (IKK) signalsome via interaction with IKK2. Components of the FANCA complex undergo rapid, stimulus-dependent changes in phosphorylation, which are blocked by kinase-inactive IKK2.