## Recombinant Human Complexin-2/CPLX2 Protein (His

### Tag)

#### Catalog Number: PKSH030970



*Note:* Centrifuge before opening to ensure complete recovery of vial contents.

#### **Description**

Synonyms 921-L;CPX-2;CPX2;Hfb1

SpeciesHumanExpression HostE.coli

SequenceAsp 2-Lys 134AccessionQ6PUV4-1Calculated Molecular Weight16.8 kDaObserved molecular weight21 kDaTagN-His

#### **Properties**

**Purity** > 90 % as determined by reducing SDS-PAGE.

**Endotoxin** Please contact us for more information.

**Storage** Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to

-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots

of reconstituted samples are stable at < -20°C for 3 months.

**Shipping** This product is provided as lyophilized powder which is shipped with ice packs.

**Formulation** Lyophilized from sterile PBS, pH 7.4


Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as

protectants before lyophilization.

Please refer to the specific buffer information in the printed manual.

**Reconstitution** Please refer to the printed manual for detailed information.

#### Data



> 90 % as determined by reducing SDS-PAGE.

#### **Background**

Complexin-2 (CPLX2), a member of the complexin/synaphin family, is a soluble pre-synaptic protein believed to regulate neurotransmitter release from pre-synaptic terminals. Complexins are soluble proteins that regulate the activity of soluble N-ethylmaleimide-sensitive factor attachment protein receptor (SNARE) complexes necessary for vesicle fusion. Complexins are unable to bind to monomeric SNARE proteins but bind with high affinity to ternary SNARE complexes and with lower affinity to target SNARE complexes. Complexin 1 (CX1) and complexin 2 (CX2) are presynaptic proteins that modulate neurotransmitter release and are used as markers of inhibitory and excitatory synapses, respectively. CPLX2 is localized in pre-synaptic terminals in mature brain. The G71-P89 region of CPLX2 is essential and sufficient for preferential axonal distribution. CPLX2 participates in the Ca(2+)-sensitive regulatory pathway for zymogen granule

#### For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com Email: techsupport@elabscience.com

# Recombinant Human Complexin-2/CPLX2 Protein (His Tag)



Catalog Number:PKSH030970

exocytosis. Complexin-2 is a key player in normal neurological function, and its downregulation could lead to changes in neurotransmitter release sufficient to cause significant behavioural abnormalities such as depression. It is involved in synaptogenesis and the modulation of neurotransmitter release.

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017
Web: www.elabscience.com Email: techsupport@elabscience.com