

Recombinant Human ADSL/Adenylosuccinate Lyase Protein (His Tag)

Catalog No. PKSH031168

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Synonyms AMPS;ASASE;ASL

Species Human E.coli **Expression Host**

Met 1-Leu 484 Sequence Accession P30566-1 Calculated Molecular Weight 57.0 kDa Observed molecular weight 53 kDa Tag N-His

Bioactivity Not validated for activity

Properties

Purity > 95 % as determined by reducing SDS-PAGE.

Endotoxin Please contact us for more information.

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to

-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots

of reconstituted samples are stable at < -20°C for 3 months.

Shipping This product is provided as lyophilized powder which is shipped with ice packs.

Formulation Lyophilized from sterile PBS, 10% glycerol, pH 7.5


Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as

protectants before lyophilization.

Please refer to the specific buffer information in the printed manual.

Reconstitution Please refer to the printed manual for detailed information.

Data



> 95 % as determined by reducing SDS-PAGE.

Background

Adenylosuccinate lyase, also known as adenylosuccinase, ADSL or ASL, is an enzyme implicated in the reaction of adenylosuccinat converting to AMP and fumarate as part of the purine nucleotide cycle. The two substates of

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Email: techsupport@elabscience.com

Web: www.elabscience.com

Elabscience Bionovation Inc.



A Reliable Research Partner in Life Science and Medicine

adenylosuccinate lyase (ADSL) are dephosphorylated derivatives of SAICA ribotide (SAICAR) and adenylosuccinate (S-AMP), which catalyzes an important reaction in the de novo pathway of purine biosynthesis. ADSL catalyzes two distinct reactions in the synthesis of purine nucleotides, both of which involve the _-elimination of fumarate to produce either aminoimidazole carboxamide ribotide from SAICAR or AMP from S-AMP. The Adenylosuccinate lyase deficiency is a rare autosomal recessive metabolic disorder characterized by the present of SAICA riboside and succinyladenosine (S-Ado). ADSL defect in different patients is often caused by different mutations to the enzyme.

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Email: techsupport@elabscience.com

Web: www.elabscience.com