Recombinant Human ACP1/LMW-PTP Protein (GST Tag)

Catalog Number: PKSH031337



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Synonyms HAAP;Low Molecular Weight Phosphotyrosine Protein Phosphatase;LMW-

PTP;LMW-PTPase;Adipocyte Acid Phosphatase;Low Molecular Weight Cytosolic

Acid Phosphatase; Red Cell Acid Phosphatase 1; ACP1

SpeciesHumanExpression HostE.coli

SequenceMet 1-His 158AccessionAAI06012.1Calculated Molecular Weight44.3 kDaObserved molecular weight40 kDaTagN-GST

Bioactivity Measured by its ability to cleave a substrate, pNitrophenyl phosphate (pNPP). The

specific activity is > 65, 000 pmol/min/µg.

Properties

Purity > 88 % as determined by reducing SDS-PAGE.

Endotoxin Please contact us for more information.

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to

-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots

of reconstituted samples are stable at < -20°C for 3 months.

Shipping This product is provided as lyophilized powder which is shipped with ice packs.

Formulation Lyophilized from sterile 50mM Tris, 150mM NaCl, pH 8.0


Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as

protectants before lyophilization.

Please refer to the specific buffer information in the printed manual.

Reconstitution Please refer to the printed manual for detailed information.

Data



> 88 % as determined by reducing SDS-PAGE.

Background

The low molecular weight phosphotyrosine phosphatase (LMW-PTP), also known as Acid phosphatase 1 (ACP1), belongs to the low molecular weight phosphotyrosine protein phosphatase family are involved in the regulation of important physiological functions, including stress resistance and synthesis of the polysaccharide capsule. ACP1/LMW-PTP is an enzyme involved in platelet-derived growth factor-induced mitogenesis and cytoskeleton rearrangement. LMW-PTP is

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com Email: techsupport@elabscience.com

Recombinant Human ACP1/LMW-PTP Protein (GST Tag)

Catalog Number:PKSH031337



able to specifically bind and dephosphorylate activated PDGF receptor, thus modulating PDGF-induced mitogenesis. In vitro, LMW-PTP was found to efficiently dephosphorylate activated FcgammaRIIA and LAT, but not Syk or phospholipase Cgamma2. The overexpression of LMW-PTP inhibited activation of Syk downstream of FcgammaRIIA and reduced intracellular Ca(2+) mobilization. It been demonstrated that LMW-PTP is responsible for FcgammaRIIA dephosphorylation, and is implicated in the down-regulation of cell activation mediated by this ITAM-bearing immunoreceptor. In addition, ACP1 is a highly polymorphic phosphatase that is especially abundant in the central nervous system and is known to be involved in several signal transduction pathways.

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: <u>www.elabscience.com</u> Email: <u>techsupport@elabscience.com</u>