# Recombinant Human 14-3-3 tau/14-3-3 theta/YWHAQ Protein (GST Tag)

by Elabscience

Catalog Number: PKSH031392

Note: Centrifuge before opening to ensure complete recovery of vial contents.

## **Description**

**Synonyms** 1C5;41701;HS1

Species Human
Expression Host E.coli

Sequence Met 1-Asn 245

Accession P27348
Calculated Molecular Weight 54.6 kDa
Observed molecular weight 53 kDa
Tag N-GST

### **Properties**

Purity > 88 % as determined by reducing SDS-PAGE.

**Endotoxin** Please contact us for more information.

**Storage** Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to

-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots

of reconstituted samples are stable at < -20°C for 3 months.

**Shipping** This product is provided as lyophilized powder which is shipped with ice packs.

**Formulation** Lyophilized from sterile 20mM Tris, 0.15m NaCl, 20mM GSH, pH 7.5


Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as

protectants before lyophilization.

Please refer to the specific buffer information in the printed manual.

**Reconstitution** Please refer to the printed manual for detailed information.

#### Data



> 88 % as determined by reducing SDS-PAGE.

# **Background**

G protein-coupled receptor kinase 5, also known as G protein-coupled receptor kinase GRK5 and GRK5, is a member of the protein kinase superfamily, AGC Ser/Thr protein kinase family and GPRK subfamily. GRKs specifically phosphorylate agonist-occupied G protein-coupled receptors at the inner surface of the plasma membrane (PM), leading to receptor desensitization. GRKs utilize a variety of mechanisms to bind tightly, and sometimes reversibly, to cellular membranes. GRKs play an important role in mediating agonist-specific desensitization of numerous G protein-coupled receptors. GRK5 contains oneAGC-kinase C-terminal domain, oneprotein kinase domain and oneRGS domain. GRK5 specifically phosphorylates the activated forms of G protein-coupled receptors. Phospholipid-stimulated autophosphorylation may represent a novel mechanism for membrane association and regulation of GRK5 activity. GRK5

#### For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: <u>www.elabscience.com</u> Email: <u>techsupport@elabscience.com</u>

# Recombinant Human 14-3-3 tau/14-3-3 theta/YWHAQ Protein (GST Tag)



Catalog Number:PKSH031392

deficiency significantly exaggerates microgliosis and astrogliosis in the presence of an inflammatory initiator, such as the excess fibrillar Abeta and the subsequent active inflammatory reactions. GRK5 deficiency has been linked to early Alzheimer's disease in humans and mouse models of the disease.

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017
Web: www.elabscience.com Email: techsupport@elabscience.com