

Recombinant Mouse IL-1R8/IL1RAPL1 Protein (Fc Tag)

Catalog No. PKSM040447

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Synonyms 6330532G10Rik;C030039N24;IL1R8;IL1RAPL;MRX34;OPHN4;TIGIRR-2

Species Mouse

Expression Host HEK293 Cells **Sequence** Met 1-Thr 357

AccessionP59823Calculated Molecular Weight65.0 kDaObserved molecular weight85-95 kDaTagC-hFc

Bioactivity Measured by its ability to bind biotinylated human $IL1\alpha$ in functional ELISA.

Properties

Purity > 95 % as determined by reducing SDS-PAGE.

Endotoxin < 1.0 EU per µg of the protein as determined by the LAL method.

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to

-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots

of reconstituted samples are stable at < -20°C for 3 months.

Shipping This product is provided as lyophilized powder which is shipped with ice packs.

Formulation Lyophilized from sterile PBS, pH 7.4


Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as

protectants before lyophilization.

Please refer to the specific buffer information in the printed manual.

Reconstitution Please refer to the printed manual for detailed information.

Data



> 95 % as determined by reducing SDS-PAGE.

Background

Interleukin-1 receptor accessory protein-like 1 (IL1RAPL1) is a member of interleukin-1 receptor family. The protein structurally comprises three extracellular immunoglobulin domains, which presumably mediate binding of an as yet

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com

Email: techsupport@elabscience.com





A Reliable Research Partner in Life Science and Medicine

unidentified ligand, a transmembrane region, and an intracellular domain, which is likely to enable signalling via the NFkB pathway. The means of signalling is almost certain to be identical to that used by the IL1R family and the more distally related Toll protein. L1RAPL1 protein physically interacts via its 150 aa C-terminal domain with neuronal calcium sensor-1 (NCS-1), a protein widely expressed in neurons and the related chromaffin and PC12 cells. IL1RAPL1 is an integral membrane protein responsible for a nonsyndromic form of mental retardation (MR). It is suggested to affect human cognitive ability to some extent, especially the memory and concentration capability.

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Email: techsupport@elabscience.com

Web: www.elabscience.com