

Recombinant Human IL-12 Receptor Subunit Beta1/IL-12RB1/CD212 (C-6His)



Catalog Number:PKSH033842

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Synonyms	CD212;IL12RB1;CD212;CD212 antigen;IL-12 receptor beta component;IL-12 receptor subunit beta-1;IL12R;IL-12R subunit beta-1;IL12RB;IL-12RB1;IL-12R-BETA1;IL-12R-beta-1;interleukin-12 receptor beta-1 chain;interleukin-12 receptor subunit beta-1
Species	Human
Expression Host	HEK293 Cells
Sequence	Cys24-Glu540
Accession	P42701
Calculated Molecular Weight	58.1 kDa
Observed molecular weight	80-110 kDa
Tag	C-His

Properties

Purity	> 95 % as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
Reconstitution	Please refer to the printed manual for detailed information.

Background

Interleukin12 receptor subunit beta 1 (IL12RB1) is a type I transmembrane protein that belongs to the hemopoietin receptor superfamily. IL12RB1 can spontaneously form homodimers and -oligomers, which are able to bind IL12 with only low affinity. IL12 high affinity receptor complex is composed of two subunits designated IL12RB1 and IL12RB2. While IL12RB1 interacts with the IL-12p40 subunit, IL-12p35 is mainly connecting with IL12RB2. This receptor chain is also responsible for transmitting the IL12 signal into the cell. IL12RB1, to the contrary, is also part of the IL23R, where it interacts with the p40 subunit of IL23. IL12RB1 is expressed in activated T cells, NK cells and B cells.

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623

Web: www.elabscience.com

Tel: 1-832-243-6086

Email: techsupport@elabscience.com

Fax: 1-832-243-6017