

Recombinant Human ADP-ribosyl Cyclase/cyclic ADP-ribose Hydrolase 1/CD38 (N-6His-Avi) Biotinylated



Catalog Number:PKSH033880

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

Synonyms	ADP-ribosyl cyclase/cyclic ADP-ribose hydrolase 1;2'-phospho-ADP-ribosyl cyclase;2'-phospho-cyclic-ADP-ribose transferase;ADP-ribosyl cyclase 1;Cyclic ADP-ribose hydrolase 1;cADPr hydrolase 1
Species	Human
Expression Host	HEK293 Cells
Sequence	Val43-Ile300
Accession	P28907
Calculated Molecular Weight	33.3 kDa
Observed molecular weight	40-50 kDa
Tag	N-His-Avi

Properties

Purity	> 95 % as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Storage	Store at < -20°C, stable for 6 months. Please minimize freeze-thaw cycles.
Shipping	This product is provided as liquid. It is shipped at frozen temperature with blue ice/gel packs. Upon receipt, store it immediately at < -20°C.
Formulation	Supplied as a 0.2 µm filtered solution of PBS, pH7.4.
Reconstitution	Not Applicable

Data



> 95 % as determined by reducing SDS-PAGE.

Background

CD38, also known as ADP-ribosyl cyclase/cyclic ADP-ribose hydrolase 1, is a Signal-anchor for type II membrane protein. CD38 is able to transform NAD⁺ to ADP-D-ribose and nicotinamide. It also can transform NADP⁺ to nicotinate-adenine dinucleotide phosphate and nicotinamide. CD38 is expressed at high levels in pancreas, liver, kidney, brain, testis, ovary, placenta, malignant lymphoma and neuroblastoma. Synthesizes the second messengers cyclic ADP-ribose and nicotinate-adenine dinucleotide phosphate, the former a second messenger for glucose-induced insulin secretion. Also has cADPr hydrolase activity. Also moonlights as a receptor in cells of the immune system.

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623

Web: www.elabscience.com

Tel: 1-832-243-6086

Email: techsupport@elabscience.com

Fax: 1-832-243-6017