## Recombinant Human DC-SIGNR/CD299 (N-8His-Flag)

Catalog Number:PKSH033990



Note: Centrifuge before opening to ensure complete recovery of vial contents.

#### **Description**

Synonyms CD209L;CD209L1;CD299;CLEC4M;C-type lectin domain family 4;member

M;DC-SIGN2;DCSIGNR;DC-SIGNR;HP10347;LSIGN;L-SIGN;C-type Lectin

Domain Family 4 Member M

Species Human

Expression Host HEK293 Cells
Sequence Ser73-Glu376
Accession Q9H2X3-8
Calculated Molecular Weight 37.0 kDa
Observed molecular weight 35-40 kDa
Tag N-His-Flag

#### **Properties**

**Purity** > 95 % as determined by reducing SDS-PAGE.

**Endotoxin** < 1.0 EU per ug of the protein as determined by the LAL method.

**Storage** Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to

-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots

of reconstituted samples are stable at < -20°C for 3 months.

**Shipping** This product is provided as lyophilized powder which is shipped with ice packs.

**Formulation** Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.


Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as

protectants before lyophilization.

Please refer to the specific buffer information in the printed manual.

**Reconstitution** Please refer to the printed manual for detailed information.

#### Data



> 95 % as determined by reducing SDS-PAGE.

## **Background**

CD299 is also known as DC-SIGNR and CLEC4M, is a type II integral membrane protein. DC-SIGNR exists as a homotetramer, and the tandem repeat domain, also called neck domain, mediates oligermerization. Multiple human DC-SIGN/CD209 splice forms exist, generating both membrane-bound and soluble forms. DC-SIGNR is ragarded as a pathogen-recognition receptor involved in peripheral immune surveillance in liver, and probably mediate the endocytosis of pathogens which are subsequently degraded in lysosomal compartments. DC-SIGNR appears to selectively recognize and bind many viral surface glycoproteins containing high mannose N-linked oligosaccharides in a calcium-dependent

#### For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com Email: techsupport@elabscience.com

# Recombinant Human DC-SIGNR/CD299 (N-8His-Flag)

Catalog Number:PKSH033990



manner, including HIV-1 gp12, HIV-2 gp12, SIV gp12, ebolavirus glycoproteins, HCV E2, and human SARS coronavirus protein S, as well as the cellular adhesion protein ICAM3. DC-SIGN/CD209 is expressed on dendritic cells (DC) and inflammatory macrophages and contributes to antigen presentation.

## For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: <u>www.elabscience.com</u> Email: <u>techsupport@elabscience.com</u>