

Phosphotyrosine Polyclonal Antibody

Catalog Number:E-AB-40513



Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

| | |
|---------------------|--|
| Reactivity | Human |
| Immunogen | phospho Tyrosine BSA |
| Host | Rabbit |
| Isotype | IgG |
| Purification | Antigen Affinity Purification |
| Conjugation | Unconjugated |
| Formulation | PBS with 0.02% sodium azide, 50% glycerol,pH 7.4 |

Applications Recommended Dilution

| | |
|-----------|-------------|
| WB | 1:1000-2000 |
|-----------|-------------|

Data



Western blot of anti-Phospho Tyrosine rabbit polyclonal antibody on 293T at dilution of 1:1000.

Preparation & Storage

Storage Store at -20°C. Avoid freeze / thaw cycles.

Background

Most phosphorylation occurs on serine and threonine, with less than 1% on tyrosine. Tyrosine phosphorylation is involved in regulating a variety of cellular processes. In particular, protein tyrosine phosphorylation is important for signaling pa

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623

Web: www.elabscience.com

Tel: 1-832-243-6086

Email: techsupport@elabscience.com

Fax: 1-832-243-6017