

# Recombinant Human BIM/BCL2L11 Protein (His Tag)

Catalog Number:PDEH100013



**Note:** Centrifuge before opening to ensure complete recovery of vial contents.

## Description

<b>Synonyms</b>	Bcl-2-like protein 11;Bcl2-L-11;Bcl2-interacting mediator of cell death;BCL2L11;BIM;BIML
<b>Species</b>	Human
<b>Expression Host</b>	E.coli
<b>Sequence</b>	Met1-Arg120
<b>Accession</b>	O43521-2
<b>Calculated Molecular Weight</b>	15 kDa
<b>Observed molecular weight</b>	15-18 kDa
<b>Tag</b>	N-His

## Properties

<b>Purity</b>	> 90 % as determined by reducing SDS-PAGE.
<b>Endotoxin</b>	< 1.0 EU per µg of the protein as determined by the LAL method.
<b>Storage</b>	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
<b>Shipping</b>	This product is provided as lyophilized powder which is shipped with ice packs.
<b>Formulation</b>	Lyophilized from sterile PBS, pH 7.4., 5% trehalose, 5% mannitol, 0.01% tween-80. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the print
<b>Reconstitution</b>	Please refer to the printed manual for detailed information.

## Background

BIML is one of several splice variants of BIM, a proapoptotic protein belonging to the BH-3 domain-only subgroup of Bcl-2 family members. BCL-2 family members form hetero- or homodimers and act as anti- or pro-apoptotic regulators that are involved in a wide variety of cellular activities. BIML is thought to promote apoptosis by binding and inhibiting the activity of anti-apoptotic Bcl-2 family members, thereby inducing the release of cytochrome c from mitochondria. BIML is normally sequestered in an inactive conformation from anti-apoptotic Bcl-2 family members through binding to the microtubule-associated dynein motor complex. Certain apoptotic stimuli release BIML from microtubules to neutralize anti-apoptotic Bcl-2 family members, allowing for the initiation of apoptosis.

## For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623

Web: [www.elabscience.com](http://www.elabscience.com)

Tel: 1-832-243-6086

Email: [techsupport@elabscience.com](mailto:techsupport@elabscience.com)

Fax: 1-832-243-6017